

Licensee Site Name CH Kennedy & LeMoyné
MDG#: 5000357190

FIRST AMENDMENT TO REVOCABLE LICENSE AGREEMENT

This **First Amendment to Revocable License Agreement** ("First Amendment"), is entered into by and between **The Board of Education of the City of Chicago**, as Licensor ("Licensor"), and **Chicago SMSA Limited Partnership, an Illinois limited partnership, d/b/a Verizon Wireless**, as Licensee, with a mailing address of One Verizon Way, Mail Stop 4AW100, Basking Ridge, New Jersey 07920 ("Licensee").

RECITALS

A. Licensor and Licensee entered into that certain Revocable License Agreement, dated May 18, 2023 (the "Original Agreement"), pursuant to which Original Agreement, Licensor agreed to permit Licensee to install certain equipment ("Licensee's Equipment") at that property commonly known as Rowe Elementary Charter School, 1424 N. Cleaver Street, Chicago, Illinois 60642 ("Property");

B. The current term of the Original Agreement commenced on September 1, 2023 and continues through August 31, 2028 and is automatically renewed in increments of five (5) years, provided that the Term, comprised of the Initial Term and all Renewal Terms, does not exceed twenty-five (25) years; and

C. Licensor and Licensee desire to modify the Original Agreement to provide for the removal and installation of certain equipment at the Property, as a Replacement Installation.

AGREEMENT

NOW THEREFORE, for good and valuable consideration, the receipt and legal sufficiency of which are hereby acknowledged, Licensor and Licensee agree as follows.

1. **Incorporation of Recitals.** The foregoing recitals are incorporated into this First Amendment by reference as if fully set forth in the body of this First Amendment.

2. **Additional Equipment.** As set forth in the space plan attached as Exhibit "A" to this First Amendment, Licensee shall: i) remove three (3) existing antennas and install four (4) new antennas with integrated radios; ii) install one (1) new pipe-to-pipe mount; iii) install four (4) new breakers; iv) remove and install equipment within the equipment shelter; and v) paint all proposed equipment, frames, cable trays, and conduit visible from the ground to match adjacent masonry (collectively, the "Work"). The Work shall be completed, weather permitting, within ninety (90) days after execution of this First Amendment. The Exhibit "A" attached to this First Amendment shall amend and supplement the Exhibit "A" attached to the Original Agreement. In the event of a conflict between Exhibit "A" attached to the Original Agreement and Exhibit "A" attached to this

First Amendment, Exhibit "A" attached to this First Amendment shall control.

3. Replacement Installation Fee. Within thirty (30) days after receipt of an invoice, Licensee shall pay to Licensor a Replacement Installation Fee that is the greater of: (a) all costs, fees (including those of outside consultants, architects, engineers and lawyers) and expenses, including, but not limited to, labor and materials, incurred by Licensor in connection with Licensor's withholding or granting of its approval of the list of Licensee's Equipment, the Initial Installation and any Replacement Installation; and (b) Five Thousand Dollars (\$5,000.00), in accordance with the terms of Section 5.2 of the Original Agreement.

4. Full Force and Effect. Except as specifically modified by the terms of this First Amendment, all of the terms, definitions, covenants, and provisions of the Original Agreement remain in full force and effect and are not otherwise revised, amended, or changed.

5. Conflict. In the event of any conflict between the terms of this First Amendment and the terms of the Original Agreement, the terms of this First Amendment shall control.

6. Whole Agreement. The mutual obligations of the parties as provided herein are the sole consideration for this First Amendment, and no representations, promises or inducements have been made by the parties other than as appear in this First Amendment. This First Amendment may not be amended except in writing signed by both parties.



[Signature Page to Follow]

Remainder of Page Intentionally Left Blank

IN WITNESS WHEREOF, Licensor and Licensee have executed this First Amendment to Revocable License Agreement as of the dates noted below.

LICENSOR


The Board of Education of the City of Chicago

Signed by:  *DFH*
By: Sean B. Harden
Signed by: 
Attest: Sean B. Harden, President

Susan J. Narrajos, Secretary

LICENSEE



Chicago SMSA Limited Partnership, an Illinois limited partnership, d/b/a Verizon Wireless

By: Cellco Partnership, its General Partner

By: 
Name: Bob Vezina *-Assoc. Director*
Date: 7/9/25

Date: August 1, 2025 | 2:07:43 PM CDT


Signed by: 
By: Macquiline King, Ed.D, Interim Superintendent/
Its: Chief Executive Officer

DFH
Approved by Legal Form 
By: Ruchi Verma

Ruchi Verma

Its: General Counsel


Board Report No.: 15-0422-OP1-190

EXHIBIT A
SPACE PLAN

SITE ID # ELG2IL487 SITE NAME CH KENNEDY & LEMOYNE SITE ADDRESS 1501 NORTH GREENVIEW AVE CHICAGO, IL 60622	SITE ADDRESS 1501 NORTH GREENVIEW AVE CHICAGO, IL 60622 ALL ACCESS HOME MODIFICATION PROJECT	CHICAGO SMSA LIMITED PARTNERSHIP d.b.a. VERIZON WIRELESS CHICAGO SMSA LIMITED PARTNERSHIP d.b.a. VERIZON WIRELESS			
MDG LOCATION # / LOCATION CODE 5000357190 / 170276 FUZE PROJECT NUMBER 17303208	APPLICABLE CODES ALL WORK SHALL BE GOVERNED AND ALL MATERIALS SHALL BE PROCURED AND INSTALLED IN FULL COMPLIANCE WITH THE CHICAGO ELECTRICAL CODE (CEC) AND THE CHICAGO PLUMBING CODE (CPC) AND THE STANDARDS LISTED BELOW INCLUDING ALL REFERENCED CODES, STANDARDS, AND LOCAL ORDINANCES, AS ADOPTED AND AMENDED BY THE STATE AND LOCAL AUTHORITIES - CHICAGO CONSTRUCTION CODES (2019) - CHICAGO ELECTRICAL CODE (2011) - ANSI/IEEE 607.3, GENERAL TELECOMMUNICATIONS BONDING AND GROUNDING (EARTHING) FOR CUSTOMER PREMISES (2017) - ANSI STANDARD C2, NATIONAL ELECTRIC SAFETY CODE (2017) - NATIONAL ELECTRICAL CODE	GENERAL NOTES CONTRACTOR SHALL VERIFY ALL PLANS AND EXISTING DIMENSIONS AND CONDITIONS AT THE PROJECT SITE AND SHALL IMMEDIATELY NOTIFY THE ENGINEER IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE WORK OR BE RESPONSIBLE FOR SAME. FOR SITES WHERE A CRANE IS NECESSARY, THE CONTRACTOR SHALL CONFIRM AN UNOBSTRUCTED ROUTE FOR THE CRANE FROM PUBLIC ROAD TO TOWER SITE PRIOR TO CONSTRUCTION. NO AERIAL CONSTRUCTIONS UNDER FIFTEEN FEET ABOVE GRADE, INCLUDING AERIAL UTILITY LINES, ARE ALLOWED ALONG SAID CRANE ROUTE. GC SHALL CONTACT THE A/E FIRM PRIOR TO BIDDING AND CONSTRUCTION START TO CONFIRM THAT DRAWINGS ARE THE MOST RECENT SET.			
SCOPE OF WORK - INSTALLATION OF (4) NEW ANTENNAS WITH INTEGRATED MASTS. - REMOVAL OF (2) EXISTING ANTENNAS. - INSTALLATION OF (2) NEW PIPE-TO-PIPE MOUNT. - INSTALLATION OF (4) NEW BRACKETS FOR NEW ANTENNAS.	DRIVING DIRECTIONS DRIVING DIRECTIONS FROM 1701 GOLF RD. ROLLING MEADOWS, IL - HEAD SOUTHEAST TOWARD MEILER DR 0.3 MI - SLIGHT LEFT TOWARD MEILER DR 177 FT - TURN LEFT TOWARD MEILER DR 458 FT - TURN LEFT ONTO MEILER DR 362 FT - TURN RIGHT ONTO S 44TH AVE ALONG MEILER DR 0.3 MI - TURN RIGHT ONTO S ARLINGTON HEIGHTS RD 0.3 MI - USE THE RIGHT LANE TO MERGE ONTO 148 E 122 MI - KEEP LEFT TO 148 E 122 MI - TAKE EXIT 48B FOR STATE ROUTE 54 NORTH AVE TOWARD 1500 N 0.2 MI - SLIGHT RIGHT ONTO N GREENVIEW AVE 0.1 MI - TURN RIGHT 72 FT - TURN RIGHT 81 FT DESTINATION WILL BE IN FRONT OF YOU TOTAL TRAVEL ESTIMATE 3.4 MILES 42 MINUTES	PROJECT CONTACTS <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;"> SITE INFORMATION LATITUDE: N 41° 54' 28.37" / 41.90776 (NAD 83) LONGITUDE: W 87° 35' 53.87" / -87.59807 (NAD 83) SITE TYPE: ROOFTOP COUNTY: COOK JURISDICTION: CITY OF CHICAGO </td> <td style="width: 33%;"> PROJECT CONTACTS CHICAGO SMSA LIMITED PARTNERSHIP d.b.a. VERIZON WIRELESS 1701 GOLF RD TOWER 2, SUITE 400 ROLLING MEADOWS, IL 60008 CONCORDIA WIRELESS, INC. C/W 3047, P.E. 1107 SUITE 600 CHICAGO, ILLINOIS 60602 PHONE (773) 553-1600 </td> <td style="width: 33%;"> SITE ACQUISITION CONTACT CONCORDIA WIRELESS, INC. ERIC MANGANI PHONE (800) 550-8819 </td> </tr> </table>	SITE INFORMATION LATITUDE: N 41° 54' 28.37" / 41.90776 (NAD 83) LONGITUDE: W 87° 35' 53.87" / -87.59807 (NAD 83) SITE TYPE: ROOFTOP COUNTY: COOK JURISDICTION: CITY OF CHICAGO	PROJECT CONTACTS CHICAGO SMSA LIMITED PARTNERSHIP d.b.a. VERIZON WIRELESS 1701 GOLF RD TOWER 2, SUITE 400 ROLLING MEADOWS, IL 60008 CONCORDIA WIRELESS, INC. C/W 3047, P.E. 1107 SUITE 600 CHICAGO, ILLINOIS 60602 PHONE (773) 553-1600	SITE ACQUISITION CONTACT CONCORDIA WIRELESS, INC. ERIC MANGANI PHONE (800) 550-8819
SITE INFORMATION LATITUDE: N 41° 54' 28.37" / 41.90776 (NAD 83) LONGITUDE: W 87° 35' 53.87" / -87.59807 (NAD 83) SITE TYPE: ROOFTOP COUNTY: COOK JURISDICTION: CITY OF CHICAGO	PROJECT CONTACTS CHICAGO SMSA LIMITED PARTNERSHIP d.b.a. VERIZON WIRELESS 1701 GOLF RD TOWER 2, SUITE 400 ROLLING MEADOWS, IL 60008 CONCORDIA WIRELESS, INC. C/W 3047, P.E. 1107 SUITE 600 CHICAGO, ILLINOIS 60602 PHONE (773) 553-1600	SITE ACQUISITION CONTACT CONCORDIA WIRELESS, INC. ERIC MANGANI PHONE (800) 550-8819			
ENERGY COMPLIANCE STATEMENT STATEMENT THAT COMPLIANCE WITH THE ENERGY CODE IS NOT REQUIRED I CERTIFY THAT TO THE BEST OF MY PROFESSIONAL KNOWLEDGE AND BELIEF, THE ATTACHED PLANS FOR 1501 NORTH GREENVIEW AVE, CHICAGO, IL 60622 DO NOT NEED TO COMPLY WITH THE REQUIREMENTS OF THE ENERGY CODE OF CHICAGO. PROJECT NEED NOT COMPLY BECAUSE: SCOPE OF WORK DOES NOT INVOLVE MODIFICATION OF EXISTING STRUCTURAL CONDITION OR EXISTING MECHANICAL, ELECTRICAL, OR PLUMBING SYSTEMS. EXPIRES 11/29/2028 DATE 03/06/2025 ILLINOIS LICENSE NUMBER 081-3377	PROFESSIONAL LICENSURE I CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL AND TO THE BEST OF MY KNOWLEDGE AND BELIEF THEY COMPLY WITH THE REQUIREMENTS OF THE GOVERNING LOCAL BUILDING CODE.  NABI R. FAKROODIN P.E. CHALLES STATE OF ILLINOIS LICENSE NO. 081-3377 EXPIRES 11/29/2028 DATE 03/06/2025 ILLINOIS LICENSE NUMBER 081-3377	CITY OF CHICAGO SUMMARY HANDICAPPED REQUIREMENTS: FACILITY IS UNMANNED AND NOT FOR HUMAN HABITATION. HANDICAP ACCESS REQUIREMENTS NOT REQUIRED PLUMBING REQUIREMENTS: FACILITY HAS NO PLUMBING REFRIGERATION NOTE: NO REFRIGERANTS ARE USED FOR COOLING THE EQUIPMENT EXISTING STRUCTURAL CONDITION: FIELD IF SIGNIFICANT DEVIATIONS OR DETRIORATION ARE OBSERVED, THE CONTRACTOR SHALL BE RESPONSIBLE FOR REPAIR. PERMIT SHALL BE OBTAINED AND CONTRACTOR SHALL NOTIFY STRUCTURAL ENGINEER IMMEDIATELY			
AERIAL MAP 	CHICAGO Know what's below Call 811 OR (312) 467-8888 CONTRACTOR SHALL VERIFY ALL PLANS AND EXISTING CONDITIONS AT THE PROJECT SITE AND SHALL IMMEDIATELY NOTIFY THE ENGINEER IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE WORK OR BE RESPONSIBLE FOR SAME. GC SHALL CONTACT THE A/E FIRM PRIOR TO BIDDING AND CONSTRUCTION START TO CONFIRM THAT DRAWINGS ARE THE MOST RECENT SET	CHICAGO SMSA LIMITED PARTNERSHIP d.b.a. VERIZON WIRELESS CHICAGO SMSA LIMITED PARTNERSHIP d.b.a. VERIZON WIRELESS			

ITEM	SUBJECT	CODE REFERENCE	Ordinance Requirement	Actual	Requirement N/A	Location/ Sheet No.
ZONING REQUIREMENTS						
Z-01	Zoning District	Zoning map	N/A	RS-3	N/A	N/A
Z-02	Existing Zone Use(s)	17-17-0100	N/A	RESIDENTIAL SINGLE-JUNIT DISTRICT	N/A	N/A
Z-03	Proposed Zoning Use(s)	17-17-0100	N/A	RESIDENTIAL SINGLE-JUNIT DISTRICT	N/A	N/A
Z-04	Lot Area	Chapter 17-17-0200	N/A	N/A	N/A	N/A
Z-05	Rear Yard Setback ASD	Varies by district	N/A	N/A	N/A	N/A
Z-10	Total Floor Area	17-17-0302 varies by district	N/A	N/A	N/A	N/A
Z-11	Front Yard Setback ASD	17-17-0311 varies by district	N/A	N/A	N/A	N/A
Z-16	Number of Dwelling Units	Varies by district	N/A	N/A	N/A	N/A
Z-17	Number of Off-street Parking Spaces	17-10-0200	N/A	N/A	N/A	N/A
Z-18	Number of Off-street Loading Spaces	17-10-1011	N/A	N/A	N/A	N/A
Z-19	Landscape Ordinance Compliance	Ch. 17-11	N/A	N/A	N/A	N/A
Z-24	Plot of Survey	17-13-302-B	N/A	N/A	N/A	N/A
BUILDING REQUIREMENTS						
B-03-01	Proposed Occupancy Classification(s)	14B-3-302.1	N/A	N/A	N/A	N/A
B-03-02	Existing Occupancy Classification(s)	14B-3-302.8 Ch. 14B-3	N/A	N/A	N/A	N/A
B-04-01	Special Occupancy Conditions	Ch. 14B-4	N/A	N/A	N/A	N/A
B-10-02	Building Height In Feet Above Grade Plane	14B-3-303.3 14B-5-504.4	N/A	N/A	N/A	N/A
B-05-04	Mezzanine / Equipment Platform	14B-5-505	N/A	N/A	N/A	N/A
B-05-05	Roofing Area	14B-5-503.4 14B-5-506	N/A	N/A	N/A	N/A
B-05-08	Mixed Occupancy Strategy	14B-5-508	N/A	N/A	N/A	N/A
B-06-01	Construction Classification	N/A	N/A	N/A	N/A	N/A
	Framing - Primary Structure Frame	14B-5-501 14B-5-504	N/A	N/A	N/A	N/A
	Framing - Exterior Bearing Walls	14B-5-502	N/A	N/A	N/A	N/A
	Framing - Interior Bearing Walls	14B-5-501	N/A	N/A	N/A	N/A
	Framing - Roof Construction	14B-5-501	N/A	N/A	N/A	N/A
	Framing - Floor Construction	14B-5-501	N/A	N/A	N/A	N/A
B-06-02	Combustible Class I Type IV Construction	14B-5-503 14B-5-504	N/A	N/A	N/A	N/A
B-07-01	Exterior Wall Rating	14B-5-501 14B-5-502	N/A	N/A	N/A	N/A
B-07-03	Fire Wall Rating	14B-7-718.4	N/A	N/A	N/A	N/A
B-07-06	Fire Wall Openings	14B-7-718.8 14B-7-718.1	N/A	N/A	N/A	N/A
B-07-14	Vertical Openings	14B-7-712	N/A	N/A	N/A	N/A
B-07-15	Small Enclosures - Rafting	14B-7-713.4	N/A	N/A	N/A	N/A
B-07-16	Small Enclosures - Continuity	14B-7-713.3	N/A	N/A	N/A	N/A
B-07-17	Small Enclosures - Openings / Penetrations	14B-7-713.7 14B-7-713.8	N/A	N/A	N/A	N/A
B-07-18	Penetration of Rated Construction	14B-7-714	N/A	N/A	N/A	N/A
B-07-19	Opening Protectives	14B-7-716	N/A	N/A	N/A	N/A
B-07-20	Duct and Air Transfer Openings	14B-7-717	N/A	N/A	N/A	N/A
B-07-21	Firestopping / Draftstopping	14B-7-718	N/A	N/A	N/A	N/A
B-08-05	Portable Fire Extinguishers	14B-8-809.1	N/A	N/A	N/A	N/A
B-08-06	Fire Alarm System	14B-8-907.3	N/A	N/A	N/A	N/A
B-09-07	Single- and Multiple-station Smoke Alarms	14B-9-007.2 14B-9-007.3	N/A	N/A	N/A	N/A
B-10-08	Visible Alarm Notification	14B-10-1011 12	N/A	N/A	N/A	N/A
B-10-09	Roof Access	14B-10-1011 12	N/A	N/A	N/A	N/A
B-10-10	Exit Signs	14B-10-1013	N/A	N/A	N/A	N/A
B-10-11	Handrail / Guard Details	14B-10-1014 14B-10-1015	N/A	N/A	N/A	N/A
B-13-01	Roof Fire Classification	14B-13-105.1	N/A	N/A	N/A	N/A
B-13-02	Roof-top Structure Height	14B-13-1510 14B-13-1513	N/A	N/A	N/A	N/A
B-13-03	Roof-top Structure Area	14B-13-1510.1 14B-13-1513.1	N/A	N/A	N/A	N/A
B-13-04	Roof-top Structure Materials	14B-13-1513.3	N/A	N/A	N/A	N/A
B-27-01	Electrical Room Fire Resistance Rating	14B-27-2000 Item 14E	N/A	N/A	N/A	N/A
B-28-01	Mechanical Room Fire-resistance Rating	14B-28-2000	N/A	N/A	N/A	N/A
B-31-01	Fence Height and Materials	14B-31-3174 (also zoning req.)	N/A	N/A	N/A	N/A
OTHER REQUIRED DATA						
A-04-01	Excavation Certification (Form 402)	14A-4-406	N/A	N/A	N/A	N/A
B-10-01	Structural Design Data	14B-10-1003	N/A	N/A	N/A	N/A
B-10-01	Geotechnical Report	14B-10-1003.1 14B-10-1803 B	N/A	N/A	N/A	N/A
E-02-01	Electrical Drawings	14E-2-215 S	N/A	N/A	N/A	N/A
P-11-01	Stormwater Management Ordinance Plan	Ch. 11-11B	N/A	N/A	N/A	N/A

[illegible]



LEGEND & SYMBOLS

- UTILITY POLE
- HIGH TENSION LINE
- EXISTING UTILITY POLE
- EXISTING HIGH TENSION LINE
- EXISTING STREET LIGHT
- EXISTING FIRE HYDRANT
- EXISTING SCHOOL BUILDING
- EXISTING TRANSFORMER
- EXISTING CONCRETE DRIVEWAY
- EXISTING ASPHALT DRIVEWAY
- EXISTING PLANTING AREA
- EXISTING ASPHALT DRIVEWAY
- EXISTING CONCRETE DRIVEWAY
- EXISTING UTILITY POLE
- EXISTING HIGH TENSION LINE
- EXISTING STREET LIGHT
- EXISTING FIRE HYDRANT
- EXISTING SCHOOL BUILDING
- EXISTING TRANSFORMER
- EXISTING CONCRETE DRIVEWAY
- EXISTING ASPHALT DRIVEWAY
- EXISTING PLANTING AREA
- EXISTING ASPHALT DRIVEWAY
- EXISTING CONCRETE DRIVEWAY


1. TO THE PUBLIC & PRIVATE LOCATIONS, BEHIND THE PROPERTY TO LOCATE AND PROTECT ANY AND ALL UTILITIES AND PLANTING AREAS, THE ENGINEER HAS BEEN ADVISED BY THE PROPERTY OWNER THAT THE PROPERTY IS NOT TO BE USED FOR ANY OTHER PURPOSES THAN THE ONE FOR WHICH IT WAS DESIGNED.


2. THESE PLANS MAY NOT BE USED FOR ANY OTHER PURPOSES THAN THE ONE FOR WHICH THEY WERE DESIGNED. ANY OTHER USE OF THESE PLANS WITHOUT THE WRITTEN CONSENT OF THE ENGINEER IS PROHIBITED.

3. THE ENGINEER HAS BEEN ADVISED BY THE PROPERTY OWNER THAT THE PROPERTY IS NOT TO BE USED FOR ANY OTHER PURPOSES THAN THE ONE FOR WHICH IT WAS DESIGNED.


4. THE ENGINEER HAS BEEN ADVISED BY THE PROPERTY OWNER THAT THE PROPERTY IS NOT TO BE USED FOR ANY OTHER PURPOSES THAN THE ONE FOR WHICH IT WAS DESIGNED.







உருவ, உருமா



CHICAGO SMSA
LIMITED PARTNERSHIP
c/o/a VERIZON WIRELESS



oncordia

361 RANDY RD UNIT 101
CAROL STREAM IL 60108
MAIN (847) 708-7500

PROFESSIONAL DESIGN

CHECKED BY: RUH	CHECKED BY: GMS
-----------------	-----------------




FUZE PROJECT # 17303208
MDG LOCATION ID 5000357190
CH KENNEDY & LEMOYNE
150* NORTH GREENVIEW AVE
CHICAGO, IL 60622

SHEET TITLE



RFDS DIAGRAMS

SHEET NUMBER

A-3A





[illegible]




Description	Specification	Notes
RF Performance		
Frequency Range 1	37-40 GHz	n250 FR2 Band
EIRP	+46dBm ± 3dB	
Antenna Type	Phased array	
Antenna Beam Width	34.5°	Half Power Beam Width
Antenna Scan Range	Azimuth: 345°, Elevation: 3.10°	
Antenna Scan Loss	3dB max @ 345°	
Main Beam Sidelobe	20dBc	
Features		
Channel Bandwidth	100, 200, 400, 800MHz	Configurable
# of Layers	2	Horizontal & Vertical Antenna Polarization, 2x2 MIMO
Carrier Aggregation	Up to 6CC	800MHz aggregated BW per layer
Component Carrier Bandwidth	100, 200, 400MHz	800MHz aggregated BW per layer
Modulation UL & DL	QPSK, 16QAM, 64QAM, 256QAM	
Duplex Mode	TDD	
Time Sync	IEEE 1588 PTP v2 (Microchip DPLL) GPS with External Antenna, Holdover - 1hrs	Holdover occurs when IEEE 1588 Grandmaster and GPS unavailable
MIMO	2T2R	
Interfaces		
Back Haul	2x10GbE Fiber (SFP+)	
Power	DC 54V (Option with External AC Adapter, 100-240 VAC, 54V ±5%, 6.4A)	Peak Power consumption ~320W
Lead Indicators	System & Front Haul	
Environmental Certification		
Operating Temperature Range	-40° to +55°C	
Operating Humidity Range	5% to 95% RH	
IP Rating	IP67	
Certification	UL EEC, 3CPP compliant, RoHS and WEEE, gRS 18 kg (39.6 lb), ACDC Power Adapter 3.2 kg (7.05 lbs), Mounting Bracket 2.6 kg (5.73 lbs), Total 23.8 kg (52.47 lbs)	
Weight		
Dimensions (H x W x D)	455 mm x 409 mm x 229 mm (17.91 in x 16.10 in x 9.02 in)	
Software	HTTPS/Netconf	
Firmware Upgrade	IEEE 802.1Q-1998 / IEEE 802.1Q, (VLAN, QoS), IEEE 802.1P (QSCP QoS), IP4/IPv6 Dual-Stack, NAPT, DNS Proxy, Port Forwarding, VPN Pass-through, DHCP Server/Client, MACIP Packet Filtering, Sniffing, Firewall	
LAN	FOIA & Local (via Ethernet)	PDU Type Ethernet supported

1 NEW CBNG ANTENNA (39 GHz Vectastar NR gNB) SCALE NTS



2 MOUNTING BRACKET DETAIL SCALE NTS



3 PIPE TO PIPE MOUNTING DETAIL SCALE NTS

CHICAGO SMSA LIMITED PARTNERSHIP dba VERIZON WIRELESS

oncordia 311 RANBY RD, UNIT 101 CARL SPRING, IL 60184 MOBILE (647) 708-7500

PROFESSIONAL DESIGN FIRM LICENSE # 164,000,554-0004 001 000-100 CHECKED BY: RM CHECKED BY: GNC

PROJECT # 17030208 MDG LOCATION 17030208/17030208 CH KENNEDY & LEMAYNE 1501 NORTH GREENVIEW AVE CHICAGO, IL 60622



